

# Анализатор текстуры ТХ-700 и принадлежности

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [aum@nt-rt.ru](mailto:aum@nt-rt.ru) || сайт: <https://lamy.nt-rt.ru/>



With its wide range of probes and fixtures, the TX 700 is the ideal tool for your texture analysis. Thanks to its touch screen directly displaying the curves, its method programming capability, storage and analysis of measurements, the TX 700 will fit in laboratory and production area.

#### FEATURES AND BENEFITS

- Integrated temperature probe.
- Direct curve on display.
- Programming and recording methods.
- Data recording and USB transfer.
- Many different probes and fixtures.
- Interchangeable force sensors.
- Height adjustable tray.
- Compatible with RheoTex software.

#### WHAT'S INCLUDED WITH DEVICE ?

*(according to part number)*

- 1 Interchangeable force sensor.
- 1 Temperature probe PT100 (-50°C à 300°C).
- 1 Height adjustable tray.
- 1 Touch screen stylus.
- 1 User manual.
- 1 Calibration and checking certificate.
- 1 Microfiber cloth.

#### AVAILABLE INSTRUMENTS

Reference	Designation
N151010	TX-700 TEXTURE ANALYZER - 10 N
N151020	TX-700 TEXTURE ANALYZER - 20 N
N151050	TX-700 TEXTURE ANALYZER - 50N
N151250	TX-700 TEXTURE ANALYZER - 250 N
N151500	TX-700 TEXTURE ANALYZER - 500 N

## SPECIFICATIONS

### Type of device

Texture Analyzer operating in Compression and Traction with 7" Touch screen

### Choice of sensors

10 N (1 kg), Resolution 0.001 N (0.1 g)  
20 N (2 kg), Resolution 0.001 N (0.1 g)  
50 N (5 kg), Resolution 0.001 N (0.1 g)  
250 N (20 kg), Resolution 0.01 N (1 g)  
500 N (50 kg), Resolution 0.01 N (1 g)

### Accuracy

+/- 0.1 % of the full scale

### Speed range

From 0.1 to 10 mm/s +/-0.2 %

### Motion

Height: 330 mm / Resolution: 0.1 mm

### Temperature Probe

Equipped with a PT100 sensor which indicates temperatures between -50°C to +300°C

### Display

Force – Speed – Distance – Temperature - Time –  
Measuring probe – Level of sensitivity  
Date/hour - Choice of force units: gram or Newton

### Languages

French/English/Turkish/German

### Security and confidentiality

An «operator» function allows you to enter a username for your instrument. This user must then be identified using a 4-digit code. There is also a protected mode that locks your measurement conditions.

### Supply voltage

90-240 VAC 50/60 Hz

### PC connections

RS232 Port

### Printer connection

USB Host Port -  
Compatible PCL/5

### What benefits are there for you?

Integrated adjustable turntable: diam. 160 mm. Table for attaching inserts: 120 x 220 mm.  
Available Operating Modes: Compression – Relaxation – Traction – TPA Cycle – Penetrometry and relative compression mode also. Large selection of probes available and custom probes can be made with choice of material, shape and size according to your criteria. The TX700 has a large 7" colour touch screen which allows comfortable use and optimal viewing of measurements. Storage of your measuring methods. Data can be backed up and exported using a USB stick. External control thanks to the optional software.

### Dimensions and weight

D610 x W340 x H710 mm  
Weight: 25 kg













## OPTIONS & ACCESSORIES




- Probes (p52).
- Fixtures (p53-55).
- Barcode reader with stand and cable (p68).
- Touch screen protector (p68).
- Calibration Kit: 10-20N (Ref.150060) ; 50-250N (Ref.150070) ; 500N (Ref.150080).
- RheoTex software (p64-65).
- Force sensor: 10N (Ref : N150010) ; 20N (Ref : N150020) ; 50N (Ref : N150050) ; 250N (Ref : N150250) ; 500N (Ref : N150500).

# PROBES

Name / Material	Ref.	Ø (mm)	Height (mm)	Interest for	
<b>½ SPHERICAL PROBE</b> 316L Stainless Steel	130079 130174 130019 130049	8 16 30 40	-	Consistency, elasticity, adhesion and spinning on gel and cream.	
<b>FLAT PROBE</b> 316L Stainless Steel	130080 130083 130101 130175 130200 130177	34 40 50 75 100 160	-	Consistency, elasticity, adhesion and spinning on a solid of size smaller than the plateau.	
<b>BLOOM PROBE</b> plexiglass	130046	12.7	30	Bloom Gel Strength test	
<b>CYLINDRICAL PROBE</b> 316L Stainless Steel	130077 130063 130078 130066 130124 130099 130037 130176 130126	2 3 4 6 10 20 25 36 50	35 35 35 35 40 40 40 40 50	Measure in texture penetration on solid sample	
<b>CONICAL PROBE</b> 316L Stainless Steel	130020 130047 121023	25 30 30	20° Cône 45° Cône 30° Cône	Measurement in consistency penetration on solid sample (spreading)	
<b>NEEDLE</b>	130179	3	60	Core consistency	
<b>CLEAVER PROBE</b> 316L Stainless Steel	130064	L. 25 mm	60° Angle	Breaking Force, Knack	
<b>SPHERICAL PROBE</b> 316L Stainless Steel	130191 130134 130149	12,7 19,5 20	-	Consistency, elasticity and adhesion on soft to strong sample	
<b>MESH PROBE</b>	130158	50mm (adjustable)	-	Consistency of product with big particle as yogurt, sauce, jam.	
<b>KNIFE PROBE</b>	120012	-	-	Cutting force.	


More size and material on request ( Aluminium, PEEK, DELRIN, PMMA)

# FIXTURES



**TENSILE  
FIXTURE**  
(Ref. 130092)

Tensile force.



**3 POINTS BEND  
FIXTURE**  
(Ref. 130091)

Breaking force, Friability,  
Springiness.



**KRAMER 5 BLADES  
FIXTURE**  
(Ref. 130094)

Hardness and tenderness  
on small samples  
(Requires table Ref. 310106).




**FILM COMPRESSION  
FIXTURE**  
(Ref. 130031)

Accessory to measure  
strenght of film  
(Requires table Ref. 310106).



**LIPSTICK CANTILEVER  
FIXTURE**  
(Ref. 130147)

Accessory to measure  
strength of lipstick.




**WIRE SHEAR  
FIXTURE**  
(Ref. 130076)

Accessory to measure  
consistency of product  
as Butter or Cheese.



**SYRINGE  
TEST FIXTURE**  
(Ref. 130145)

Study of needed force  
to use syringe.



**FIXTURE BASE  
TABLE**  
(Ref. 310106)

Universal holder  
for fixture and sample.



**EXTRUSION FIXTURE**  
(Ref. 100200)

Foward and backward extrusion of  
liquid, cream, paste, gel  
(Requires table Ref. 310106).

# FIXTURES



**MINI OTTAWA  
FIXTURE**  
(Ref. 130097)

Hardness and tenderness on small samples.  
(Requires table Ref. 310106).



**PASTA  
FIXTURE**  
(Ref. 130152)

Firmness and stickiness of pasta.  
(Requires table Ref. 310106).



**VOLODKEVICH  
FIXTURE**  
(Ref. 130068)

Shear cut and bite test.  
(Requires table Ref. 310106).



**MOHRS  
PROBE**  
(Ref. 130165)

Cutting test with blade for meat, fish...



**FRICTION  
FIXTURE**  
(Ref. 120013)

Friction measurement according to ASTM D1894.



**DOUGH STICKINESS  
FIXTURE**  
(Ref. 121017)

Measure of dough stickiness.  
(Requires table Ref. 310106).




**NOODLE TENSILE  
FIXTURE**  
(Ref. 130168)

Measure of noodle elasticity and rupture.



**SPREAD TEST  
FIXTURE**  
(Ref. 130157)

Measure of the spreading capacity of creams, pastes and gels.  
(Requires table Ref. 310106).



**WARNER-BRATZLER  
FIXTURE**  
(Ref. 130074)

Cutting blade fine.



**THREE RINGS  
PROBE CUTTING**  
(Ref. 130186)

Measure firmness of sample as pasta, rice, corn...



**KIEFFER DOUGH  
EXTENSIBILITY FIXTURE**  
(Ref. 130148)

Measure of dough elasticity and rupture.  
(Requires table Ref. 310106).



**COMPRESSION TOP  
PLATE FIXTURE**  
(Ref. 130153)

Measure firmness by uniform compression.  
(Requires table Ref. 310106).



**MULTIPLE  
PROBE FIXTURE**  
(Ref. 130170)

Probe for puncture on 9 sample.



**8 PROBES KIT**  
(Ref. 130166)

Reference	Designation
121023	CONICAL PROBE 30°
130019	1/2 SPHERICAL PROBE DIAMETER 30 mm
130037	CYLINDRICAL PROBE H:25 mm Diam:40 mm
130064	CLEAVER PROBE 25 mm
130077	CYLINDRICAL PROBE DIAMETER 2 mm
130079	1/2 SPHERICAL PROBE DIAMETER 8 mm
130101	FLAT PROBE DIAMETER 50 mm
130124	CYLINDRICAL PROBE DIAMETER 10 mm

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [aum@nt-rt.ru](mailto:aum@nt-rt.ru) || сайт: <https://lamy.nt-rt.ru/>